

# BRE Global

**Notified Body No. 0832**  
BRE Global Limited  
Bucknalls Lane, Garston, Watford,  
Hertfordshire, UK, WD25 9XX  
Telephone: +44 (0) 333 321 8811  
Fax: +44 (0)1923 664603  
Email: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)  
Web: [www.breglobal.com](http://www.breglobal.com)

## Certificate of constancy of performance

**0832-CPR-F2256**

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

### MI-BSS-xx-I Analogue Addressable Type A Integrated Base Sounder/Strobe with Short Circuit Isolator

*(For full product details and conditions of use refer to appendix)*

Placed on the market under the name or trade mark of: and produced in the manufacturing plant(s):

**Morley-IAS Fire Systems by Honeywell  
(Pittway Systems Technology Group  
(Europe) Ltd)  
Caburn House  
2B Brooks Road  
Lewes, East Sussex  
BN7 2BY  
United Kingdom**

**KAC Alarm Company Limited  
Thornhill Road  
North Moons Moat  
Redditch  
B98 9ND  
United Kingdom**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

### EN 54-3:2001 + A1:2002 + A2:2006 – Sounders EN 54-17:2005 - Short circuit isolators

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

### **the constancy of performance of the construction product.**

This certificate was first issued on 14 May 2018 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.



P Halligan, Certification Manager,

On behalf of BRE Global Limited

Date of First Issue: 14 May 2018

Date of Issue: 14 May 2018

Issue number 01

To check the validity of this certificate, please contact us on +44 (0)333 321 8811 or email [enquiries@breglobal.com](mailto:enquiries@breglobal.com).

**BRE Global Limited**

Bucknalls Lane,  
Garston, Watford,  
Hertfordshire, UK,  
WD25 9XX

**Notified Body No. 0832**

Telephone: +44 (0) 333 321 8811  
Fax: +44 (0)1923 664603  
Email: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)  
web: [www.breglobal.com](http://www.breglobal.com)

**APPENDIX to Certificate of constancy of performance: 0832-CPR-F2256****MI-BSS-xx-I Analogue Addressable Type A Integrated Base Sounder/Strobe with Short Circuit Isolator****Bases / Ancillaries:**

B501AP-cc Low profile base IP21C, cc indicates colour, Blank=Pure White, IV=Detector White  
Bcc Deep base IP44, cc indicates colour, RR=Red, DD=Detector White, PW=Pure White  
Wcc Waterproof base IP65, cc indicates colour, RR=Red, DD=Detector White, PW=Pure White

**Notes:**

- xx indicates body/lens colour. PR=Pure White/Red, PA=Pure White/Amber, PC=Pure White/Clear, DR=Detector White/Red, DA=Detector White/Amber, DC=Detector White/Clear
- yy indicates customer and associated communication protocol.  
01 indicates Advanced Protocol (and Honeywell 500 series protocol)  
00 and 02-99 indicates Advanced Protocol (and System Sensor 500 series protocol)
- Meets the requirements of EN54-3 for all output levels at voltage range 15-29VDC and tones:
  - 554/440, 2Hz (100ms/400ms);
  - 800/970, 1Hz;
  - 800/970, 2Hz;
  - 2400/2900, 3Hz;
  - 2500/3100, 2Hz;
  - 988/645, 2Hz;
  - 660Hz;
  - 970Hz;
  - 1200Hz;
  - 2850Hz;
  - 150-1000, rise 10s, stable 40s, fall 10s, stable 20s, then repeating;
  - 420Hz, 0.625s on, 0.625 sec off;
  - 500-1200Hz, 0.25 sec off, 3.75 sec on;
  - 660, 3.33Hz, 150ms on, 150ms off;
  - 970, 0.8Hz 0.25s on, 1s off;
  - 970, 0.5Hz 1s on, 1s off;
  - 2850, 1Hz;
  - 970, 1Hz 500ms on, 500ms off;
  - 950, 0.22Hz (0.5s on, 0.5s off) x 3, 1.5s off;
  - 800Hz;
  - 400-1200Hz, (0.5s on, 0.5s off) x 3, 1.5s off;
  - 1200 – 500Hz, 0.99Hz 1s on, 0.01s off;
  - 2400 – 2850, 7Hz;



P Halligan, Certification Manager,

On behalf of BRE Global Limited

Date of First Issue: 14 May 2018

Date of Issue: 14 May 2018

Issue number: 01

To check the validity of this certificate, please contact us on +44 (0)333 321 8811 or email [enquiries@breglobal.com](mailto:enquiries@breglobal.com).

**BRE Global Limited**

Bucknalls Lane,  
Garston, Watford,  
Hertfordshire, UK,  
WD25 9XX

**Notified Body No. 0832**

Telephone: +44 (0) 333 321 8811  
Fax: +44 (0)1923 664603  
Email: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)  
web: [www.breglobal.com](http://www.breglobal.com)

**APPENDIX to Certificate of constancy of performance: 0832-CPR-F2256**

- 24) 500 – 1200Hz, (0.5s off, 3.5s on);
  - 25) 800 – 970, 50Hz;
  - 26) 800 – 970, 7Hz;
  - 27) 800 – 970, 1Hz;
  - 28) 2400 – 2850, 50Hz;
  - 29) 500 – 1000, 7Hz;
  - 30) 500 – 1200 – 500, 0.166Hz rise 1s, stable 4s, fall 1s;
  - 31) 800 – 1000, 2Hz;
  - 32) 2400 – 2850, 1Hz.
4. Certification excludes the strobe function.



P Halligan, Certification Manager,  
On behalf of BRE Global Limited

Date of First Issue: 14 May 2018

Date of issue: 14 May 2018

Issue number: 01

To check the validity of this certificate, please contact us on +44 (0)333 321 8811 or email [enquiries@breglobal.com](mailto:enquiries@breglobal.com).